



AIRSTRIKE BATTERIES XQ Series 35C

Battery No.	Capacity (mAh)	Voltage (V)	Number of Cell	Weight (g)	Dimensions (LxWxD)	Max Cont. Discharge	Max Cont. Current(A)
DT-XQ0800-2S	800	7.4	2S1P	54.0	15*31*52	35C	28
DT-XQ0800-3S	800	11.1	3S1P	78.0	22.5*31*52	35C	28
DT-XQ1200-2S	1200	7.4	2S1P	78.0	17.0*31*64	35C	42
DT-XQ1200-3S	1200	11.1	3S1P	115.0	25*31*64	35C	42
DT-XQ1700-2S	1700	7.4	2S1P	101.0	16*31*84	35C	60
DT-XQ1700-3S	1700	11.1	3S1P	147.0	23.5*31*84	35C	60
DT-XQ1700-4S	1700	14.8	4S1P	193.0	31*31*84	35C	60
DT-XQ2200-2S	2200	7.4	2S1P	124.0	17*35*102	35C	77
DT-XQ2200-3S	2200	11.1	3S1P	182.5	25*35*102	35C	77
DT-XQ2200-4S	2200	14.8	4S1P	240.0	33*35*102	35C	77
DT-XQ2200-5S	2200	18.5	5S1P	298.5	41*35*102	35C	77
DT-XQ2200-6S	2200	22.2	6S1P	356.0	48.5*35*102	35C	77
DT-XQ2500-2S	2500	7.4	2S1P	140.0	15*39*116	35C	88
DT-XQ2500-3S	2500	11.1	3S1P	205.5	21.5*39*116	35C	88
DT-XQ2500-4S	2500	14.8	4S1P	271.0	29*39*116	35C	88
DT-XQ2500-5S	2500	18.5	5S1P	336.5	35.8*39*116	35C	88
DT-XQ2500-6S	2500	22.2	6S1P	402.0	43*39*116	35C	88
DT-XQ3700-2S	3700	7.4	2S1P	216.0	17*46*143	35C	130
DT-XQ3700-3S	3700	11.1	3S1P	318.0	25*49*143	35C	130
DT-XQ3700-4S	3700	14.8	4S1P	416.0	33*46*143	35C	130
DT-XQ3700-5S	3700	18.5	5S1P	520.0	41*49*143	35C	130
DT-XQ3700-6S	3700	22.2	6S1P	609.0	49*46*143	35C	130
DT-XQ4500-2S	4500	7.4	2S1P	259.0	18*46*160	35C	158




DT-XQ4500-3S	4500	11.1	3S1P	380.0	26.5*49*160	35C	158
DT-XQ4500-4S	4500	14.8	4S1P	495.0	35*46*160	35C	158
DT-XQ4500-5S	4500	18.5	5S1P	620.0	43.5*49*160	35C	158
DT-XQ4500-6S	4500	22.2	6S1P	735.0	52*46*160	35C	158



AIRSTRIKE BATTERIES XP Series 25C

Battery No.	Capacity (mAh)	Voltage (V)	Number of Cell	Weight (g)	Dimensions (LxWxD)	Max Cont. Discharge	Max Cont. Current(A)
DT-XP450-2S	450	7.4	2S1P	31.5	9*31*52	25C	11.3
DT-XP450-3S	450	11.1	3S1P	46.5	13.5*31*52	25C	11.3
DT-XP600-2S	600	7.4	2S1P	37.5	12*31*52	25C	15.0
DT-XP600-3S	600	11.1	3S1P	56.5	16.5*31*52	25C	15.0
DT-XP850-2S	850	7.4	2S1P	55.0	11.0*31*66	25C	21.3
DT-XP850-3S	850	11.1	3S1P	79.5	16.0*31*66	25C	21.3
DT-XP1000-2S	1000	7.4	2S1P	63.0	12.5*35*66	25C	25.0
DT-XP1000-3S	1000	11.1	3S1P	91.5	18.5*35*66	25C	25.0
DT-XP1300-2S	1300	7.4	2S1P	76.0	12.0*35*84	25C	32.5
DT-XP1300-3S	1300	11.1	3S1P	112.5	17.5*35*84	25C	32.5
DT-XP1800-2S	1800	7.4	2S1P	101.5	13.5*35*102	25C	45.0
DT-XP1800-3S	1800	11.1	3S1P	147.0	19.5*35*102	25C	45.0
DT-XP1800-4S	1800	14.8	4S1P	195.0	26.0*35*102	25C	45.0
DT-XP2200-2S	2200	7.4	2S1P	120.5	16.5*35*102	25C	55.0
DT-XP2200-3S	2200	11.1	3S1P	175.5	24.0*35*102	25C	55.0
DT-XP2200-4S	2200	14.8	4S1P	231.0	32.0*35*102	25C	55.0
DT-XP2200-5S	2200	18.5	5S1P	286.5	40.0*35*102	25C	55.0
DT-XP2200-6S	2200	22.2	6S1P	342.0	47.5*35*102	25C	55.0
DT-XP2500-2S	2500	7.4	2S1P	133.5	14.5*39*116	25C	62.5
DT-XP2500-3S	2500	11.1	3S1P	195.0	21.5*39*116	25C	62.5
DT-XP2500-4S	2500	14.8	4S1P	257.0	28.5*39*116	25C	62.5
DT-XP2500-5S	2500	18.5	5S1P	320.0	35.5*39*116	25C	62.5
DT-XP2500-6S	2500	22.2	6S1P	384.0	42.5*39*116	25C	62.5

DT-XP3300-2S	3300	7.4	2S1P	186.0	14.5*46*143	25C	82.5
DT-XP3300-3S	3300	11.1	3S1P	273.0	21.5*49*143	25C	82.5
DT-XP3300-4S	3300	14.8	4S1P	355.0	28.5*49*143	25C	82.5
DT-XP3300-5S	3300	18.5	5S1P	445.0	35.5*49*143	25C	82.5
DT-XP3300-6S	3300	22.2	6S1P	530.0	42.5*46*143	25C	82.5
DT-XP3700-2S	3700	7.4	2S1P	208.0	16.0*46*143	25C	92.5
DT-XP3700-3S	3700	11.1	3S1P	306.0	23.5*49*143	25C	92.5
DT-XP3700-4S	3700	14.8	4S1P	395.0	31.0*46*143	25C	92.5
DT-XP3700-5S	3700	18.5	5S1P	495.0	38.5*49*143	25C	92.5
DT-XP3700-6S	3700	22.2	6S1P	585.0	46.0*46*143	25C	92.5
DT-XP4500-2S	4500	7.4	2S1P	247.0	17.5*46*160	25C	112.5
DT-XP4500-3S	4500	11.1	3S1P	365.0	25.5*49*160	25C	112.5
DT-XP4500-4S	4500	14.8	4S1P	465.0	34.0*46*160	25C	112.5
DT-XP4500-5S	4500	18.5	5S1P	583.0	42.0*49*160	25C	112.5
DT-XP4500-6S	4500	22.2	6S1P	685.0	50.5*46*160	25C	112.5
DT-XP5300-2S	5300	7.4	2S1P	290.0	15.0*48*196	25C	132.5
DT-XP5300-3S	5300	11.1	3S1P	425.0	22.0*52*196	25C	132.5
DT-XP5300-4S	5300	14.8	4S1P	550.0	29.0*48*196	25C	132.5
DT-XP5300-5S	5300	18.5	5S1P	685.0	36.0*52*196	25C	132.5
DT-XP5300-6S	5300	22.2	6S1P	815.0	43.0*48*196	25C	132.5

			AIRSTRIKE BATTERIES CX Series				
Battery No.	Capacity (mAh)	Voltage (V)	Number of Cell	Weight (g)	Dimensions (LxWxD)	Max Cont. Discharge	Max Cont. Current(A)
DT-CX3700-2S	3700	7.4	2S1P	215.0	24.5*46*137	25C	92.5
DT-CX5400-2S	5400	7.4	2S1P	288.0	24.5*46*137	20C	108.0
			AIRSTRIKE BATTERIES TX Series				
Battery No.	Capacity (mAh)	Voltage (V)	Number of Cell	Weight (g)	Dimensions (LxWxD)	Max Cont. Discharge	Max Cont. Current(A)
DT-TX3000-3S	3000	11.1	3S1P	178	15*49*114	1C	N/A,limited by PCM
DT-TX3050-3S	3050	11.1	3S1P	181	30*32*104	1C	N/A,limited by PCM
			AIRSTRIKE BATTERIES RX Series				
Battery No.	Capacity (mAh)	Voltage (V)	Number of Cell	Weight (g)	Dimensions (LxWxD)	Max Cont. Discharge	Max Cont. Current(A)
DT-RX3000-2S	3000	7.4	2s1p	116	15*54*71	10A Limited by PCM	N/A,limited by PCM
DT-RX5000-2S	5000	7.4	2s1p	200	18*49*112	10A Limited by PCM	N/A,limited by PCM